

Template for projects registered after 14.03.2012

Building Boards

Self-declaration that the building boards identified below meet the minimum pollutant requirements in BREEAM-NORs New measure checklist A20

This form must be filled out and signed by a legally responsible person for the building boards manufacturer, such as a technical director or a managing director. Chemicals to be avoided should not be present in the product in unbound, bound or natural form. Concentrations under the threshold value of 0.1% are accepted. It is assumed that the information in the A20 list is known. **Providing incorrect information can have legal consequences.**

MANUFACTURER:	
PRODUCT TRADE NAME:	Russian Birch plywood "NORCOMBI"
PRODUCT ID: Add the product ID to the list to the right or send it to: Document@cobuilder.no	Download a new product list template
Chemicals which are to be avoided¹⁾:	Does the product contain the chemicals? (No/Yes)
Arsenic	No
Lead	No
Brominated flame retardants (HBCD, TBBPA)	No
Phthalates (DEHP, DBP, BBP)	No
Chromium	No
Octyl-/ nonylphenols	No
Bisphenol A ²⁾	No

1) Note that the unwanted chemicals can be found under alternative designations. Find the complete checklist A20 in BREEAM NOR new measures version 1.1

2) Valid for polycarbonate building boards; all polycarbonates contain Bisphenol A.

Legally responsible: _____ Position: _____ Date: 9/5-2016

Signature: Se neste side - egen erklæring fra leverandøren, AS Technomar & Adrem

This form is developed by Skanska, Veidekke, and NCC. It is freely distributed via ProductXchange. Users of the form are solely responsible for ensuring that the version and contents of the form are correct. Skanska, Veidekke, NCC or ProductXchange cannot be held responsible for any possible errors. Filled-out forms are not an official approval from Skanska, Veidekke, NCC or ProductXchange.

AS TECHNOMAR & ADREM

Vana-Narva mnt. 22, 74114 Maardu, ESTONIA
Reg. nr. 10282494

To: BETULA TECHNOMAR AS
Att. Vidar Syvertsen

October 10, 2014.

QUALITY STATEMENT

Issued by Technomar & Adrem Ltd. company to certify specification / properties of the shuttering plywood:

Item: Russian Birch throughout plywood;
Trade name: NORCOMBI
Glue: Phenolic = WBP = exterior;
Size: 1500 x 750 x 15 mm;
Veneer plies: 11;
Thickness tolerance: +/- 0,5 mm;
Length / width tolerance: +/- 2 mm;
Filler: Tikkurila Epoxy Filler "Reafill 500";

Harmful substances presence in the product:

Arsenic missing
Lead missing
Brominated flame retardants missing
Phthalate missing
Chromium missing
Oktyl-/nonyfenoler missing
Bisphenol A missing

Oil: I-40A Industrial oil; highly rafinated oil on mineral base
CAS number: 74869-22-0

Properties:

Colour yellow-brown liquid
Boiling point over 350 degrees C
Smoking point over 208 degrees C
Self-flashing point over 250 degrees C
Relative density below 881 kg/m3

Technomar & Adrem Ltd.
Nikolay Dryndin
Labor Environment Specialist



tel:00372/6034 865
6034 846
6034 847

fax:00372/6034 844
6034 845
technomar@technomar.ee

Swedbank, Tallinn, Estonia
IBANEE512200221006104022
SWIFT: HABA EE2X